

Package: doSNOW (via r-universe)

September 4, 2024

Type Package

Title Foreach Parallel Adaptor for the 'snow' Package

Version 1.0.20

Description Provides a parallel backend for the `%dopar%` function using the snow package of Tierney, Rossini, Li, and Sevcikova.

Depends R (>= 2.5.0), foreach(>= 1.2.0), iterators(>= 1.0.0), snow(>= 0.3.0), utils

Suggests compiler, RUnit, caret, mlbench, rpart, parallel

License GPL-2

NeedsCompilation no

Author Folashade Daniel [cre], Microsoft Corporation [aut, cph],
Stephen Weston [aut]

Maintainer Folashade Daniel <fdaniel@microsoft.com>

Date/Publication 2022-02-04 16:20:06 UTC

Repository <https://beccadaniel.r-universe.dev>

RemoteUrl <https://github.com/cran/doSNOW>

RemoteRef HEAD

RemoteSha bc717705cdd7f3cd91be7cdd60d39de1bf8a8950

Contents

registerDoSNOW 2

Index 3

registerDoSNOW *registerDoSNOW*

Description

The registerDoSNOW function is used to register the SNOW parallel backend with the foreach package.

Usage

```
registerDoSNOW(cl)
```

Arguments

cl The cluster object to use for parallel execution.

See Also

[makeCluster](#)

Examples

```
cl <- makeCluster(2, type="SOCK")
registerDoSNOW(cl)
m <- matrix(rnorm(9), 3, 3)
foreach(i=1:nrow(m), .combine=rbind) %dopar% (m[i,] / mean(m[i,]))
stopCluster(cl)
```

Index

* **utilities**

 registerDoSNOW, [2](#)

makeCluster, [2](#)

registerDoSNOW, [2](#)